


OFFICE

Lavov architectural luminaire from the family OFFICE with a power of 70.0 (50,0↑ / 20,0↓)W and a beam angle of ↑ 112° ↓ 75° . UGR10. Finished in grey colour. With a total lumen output of 7300lm↑ / 2500lm↓lm and a luminous efficacy of 140lm/W. Made in Aluminium housing and pole, steel foot and micro reflector optics. Driver 1-10V. Motion sensor and daylight sensor included.. CCT 3000K.

Item code	86.A0010.1392.03
Product type	Indoor
Category	Architectural luminaires
Family	WORKSTATION
Subfamily	OFFICE
Pictograms	

Product	
Real power (W)	70.0 (50,0↑ / 20,0↓)
Real luminous flux (Lm)	7300lm↑ / 2500lm↓
Luminous efficiency (Lm/W)	140
Beam angle (°)	↑ 112° ↓ 75°
Colour	grey
U. G. R	10
Control gear included	yes
Control gear	1-10V. Motion sensor and daylight sensor included.
Power Factor	>0.9
Flicker Free	yes
Light source	LED
Type of LED	SMD
Average life time (h)	L80 B20, 50,000hrs
Colour temperature (K)	3000
Colour consistency (SDCM)	SDCM3

CRI

80



Dimensions

Product dimensions (mm) **1225*65*1968mm**

Scheme

