



• Installation and wiring of luminaire must be in accordance with all applicable local codes.
• Installation, inspection, and maintenance of luminaires should be performed by a qualified electrician.
• DO NOT make or alter any open holes in the luminaire. Do not modify the luminaire.
• DO NOT install damaged product.
• Make sure electrical power is OFF before and during installation and maintenance.
• Make sure the equipment is properly grounded.
• Make sure the supply voltage is same as the rated fixture voltage.


## Installation-Profile connection




## Installation-Cover




## Installation-End cap







**info@lavovlighting.com** | **lavovlighting.com**


## Installation-Screws ceiling

1





First, make marks on the ceiling,then dig holes.

2




The lamp top cover.

3a If the driver is dimming & external installation





Connect the wires correctly as above showing.

3b If the driver is non-dimming & external installation





Connect the wires correctly as above showing.

4




Install the lamp with screws.

5



Install the cover.


6



Finished.


## Installation-Pendant with ceiling box

1





First, make marks on the ceiling,then dig holes.

2





Second, fixed the terminals of the pendant suit and box holder with screws

3





Install the terminals of the pendant suit.

4




Install the lamp as the picture shows.

5a If the driver is dimming & external installation





Connect the wires correctly as above showing.

5b If the driver is non-dimming & external installation





Connect the wires correctly as above showing.

6




Install the big box as above showing.


7



Finished


## Installation-C Clip ceiling

1



First, make marks on the ceiling,then dig holes.

2




The lamp top cover.

3





Install the clip on ceiling.

4





Install the lamp as above showing.

5a If the driver is dimming & external installation





Connect the wires correctly as above showing.

5b If the driver is non-dimming & external installation




Connect the wires correctly as above showing.

6



Finished.