




FLYING R

Lavov architectural luminaire from the family FLYING R with a power of 80W and an optics 90 degrees beam angle with UGR19. CCT 4000K. With a total lumen output of 8000lm and an efficacy of 100 lm/W . Made in Aluminium housing and PC diffuser and finished in black color. DALI driver.

| Item code | 86.A007.5433.02 | | |
|--------------|---------------------------------|--|--|
| Product type | Indoor Architectural luminaires | | |
| Category | | | |
| Family | FLYING | | |
| Subfamily | FLYING R | | |
| Pictograms | (a) 220 v CRI SDCM 3 C€ | | |
| | Driver On INCL. Off | | |

| Dimensions | |
|-------------------------|----------------|
| Product dimensions (mm) | diam 735x91 mm |

Scheme



| Product | |
|----------------------------|--------------------|
| Real power (W) | 80 |
| Real luminous flux (Lm) | 8000 |
| Luminous efficiency (Lm/W) | 100 |
| Beam angle (º) | 90 |
| Colour | black |
| Chip Brand | Samsung |
| Control gear included | yes |
| Control gear | DALI |
| Power Factor | >0,96 |
| Flicker Free | yes |
| Average life time (h) | L80 B20, 50,000hrs |
| Colour temperature (K) | 4000K |
| Colour consistency (SDCM) | SDCM<4 |
| CRI | 80 |
| | |