




### WORKSTATION FLOOR

Lavov architectural luminaire from the family WORKSTATION FLOOR with a power of 70.0 (35,0↑ / 35,0↓)W and an optics 120°↑ / 120°↓ degrees beam angle with UGR19. CCT 3000K. With a total lumen output of 4200lm↑ / 4200lm↓ lm and an efficacy of 120lm/W . Made in Aluminium housing and pole, steel foot and PC diffuser and finished in black color. Driver 1-10V. Motion sensor and daylight sensor included.

<b>Item code</b>	<b>86.A009.1392.02</b>
<b>Product type</b>	<b>Indoor</b>
<b>Category</b>	<b>Architectural luminaires</b>
<b>Family</b>	<b>WORKSTATION</b>
<b>Subfamily</b>	<b>WORKSTATION FLOOR</b>
<b>Pictograms</b>	



<b>Product</b>	
<b>Real power (W)</b>	70.0 (35,0↑ / 35,0↓)
<b>Real luminous flux (Lm)</b>	4200lm↑ / 4200lm↓
<b>Luminous efficiency (Lm/W)</b>	120
<b>Beam angle (&amp;ordm;)</b>	120°↑ / 120°↓
<b>Colour</b>	black
<b>U. G. R</b>	<19
<b>Chip Brand</b>	Everlight
<b>Control gear included</b>	yes
<b>Control gear</b>	1-10V. Motion sensor and daylight sensor included.
<b>Power Factor</b>	>0,96
<b>Flicker Free</b>	yes
<b>Average life time (h)</b>	L80 B20, 50,000hrs
<b>Colour temperature (K)</b>	3000K
<b>Colour consistency (SDCM)</b>	SDCM<4
<b>CRI</b>	80

**Dimensions**

**Product dimensions (mm)** 696\*300\*1968mm

**Scheme**

