

WORKSTATION FLOOR

Lavov architectural luminaire from the family WORKSTATION FLOOR with a power of 70.0 (35,0↑ / 35,0↓)W and an optics 120°↑ / 120°↓ degrees beam angle with UGR19. CCT 3000K. With a total lumen output of 4200lm↑ / 4200lm↓ lm and an efficacy of 120lm/W . Made in Aluminium housing and pole, steel foot and PC diffuser and finished in grey color. Driver 1-10V. Motion sensor and daylight sensor included.

Item code	86.A009.1392.03
Product type	Indoor
Category	Architectural luminaires
Family	WORKSTATION
Subfamily	WORKSTATION FLOOR
Pictograms	

Product	
Real power (W)	70.0 (35,0↑ / 35,0↓)
Real luminous flux (Lm)	4200lm↑ / 4200lm↓
Luminous efficiency (Lm/W)	120
Beam angle (°)	120°↑ / 120°↓
Colour	grey
U. G. R	19
Chip Brand	Everlight
Control gear included	yes
Control gear	1-10V. Motion sensor and daylight sensor included.
Power Factor	>0,97
Flicker Free	yes
Light source	LED
Type of LED	SMD
Average life time (h)	L80 B20, 50,000hrs
Colour temperature (K)	3000K
Colour consistency (SDCM)	SDCM5

CRI

80



Dimensions

Product dimensions (mm) **696*300*1968mm**

Scheme

