

WORKSTATION TABLE

Lavov architectural luminaire from the family WORKSTATION TABLE with a power of 70.0 (35,0↑ / 35,0↓)W and an optics 120°↑ / 120°↓ degrees beam angle with UGR19. CCT 3000K. With a total lumen output of 4200lm↑ / 4200lm↓ lm and an efficacy of 120lm/W . Made in Aluminium housing and pole and PC diffuser and finished in grey color. Driver 1-10V. Motion sensor and daylight sensor included.

Item code	86.A009.2392.03
Product type	Indoor
Category	Architectural luminaires
Family	WORKSTATION
Subfamily	WORKSTATION TABLE
Pictograms	

Product	
Real power (W)	70.0 (35,0↑ / 35,0↓)
Real luminous flux (Lm)	4200lm↑ / 4200lm↓
Luminous efficiency (Lm/W)	120
Beam angle (°)	120°↑ / 120°↓
Colour	grey
U. G. R	19
Chip Brand	Everlight
Control gear included	yes
Control gear	1-10V. Motion sensor and daylight sensor included.
Power Factor	>0,97
Flicker Free	yes
Light source	LED
Type of LED	SMD
Average life time (h)	L80 B20, 50,000hrs
Colour temperature (K)	3000K
Colour consistency (SDCM)	SDCM5



Dimensions

Product dimensions (mm) **696*300*1351mm**

Scheme

