



### WORKSTATION TABLE

Lavov architectural luminaire from the family WORKSTATION TABLE with a power of 70.0 (35,0↑ / 35,0↓)W and an optics 120°↑ / 120°↓ degrees beam angle with UGR

<b>Item code</b>	<b>86.A009.2392.03</b>
<b>Product type</b>	<b>Indoor</b>
<b>Category</b>	<b>Architectural luminaires</b>
<b>Family</b>	<b>WORKSTATION</b>
<b>Subfamily</b>	<b>WORKSTATION TABLE</b>
<b>Pictograms</b>	

### Product

<b>Real power (W)</b>	<b>70.0 (35,0↑ / 35,0↓)</b>
<b>Real luminous flux (Lm)</b>	<b>4200lm↑ / 4200lm↓</b>
<b>Luminous efficiency (Lm/W)</b>	<b>120</b>
<b>Beam angle (°)</b>	<b>120°↑ / 120°↓</b>
<b>Colour</b>	<b>grey</b>
<b>U. G. R</b>	<b>&lt;19</b>
<b>Chip Brand</b>	<b>Everlight</b>
<b>Control gear included</b>	<b>yes</b>
<b>Control gear</b>	<b>1-10V. Motion sensor and daylight sensor included.</b>
<b>Power Factor</b>	<b>&gt;0,97</b>
<b>Flicker Free</b>	<b>yes</b>
<b>Average life time (h)</b>	<b>L80 B20, 50,000hrs</b>
<b>Colour temperature (K)</b>	<b>3000K</b>
<b>Colour consistency (SDCM)</b>	<b>SDCM&lt;5</b>
<b>CRI</b>	<b>80</b>

### Dimensions

**Product dimensions (mm)** 696\*300\*1351mm

### Scheme

