



### CLEAN

Lavov High Bay luminaire from the family CLEAN with a power of 120W and an optics 60 degrees beam angle. CCT 4000K. With a total lumen output of 16800lm and an efficacy of 140lm/W .

Made in Die Cast Aluminum and finished in Grey color. ON-OFF driver.

|                  |                        |
|------------------|------------------------|
| <b>Item code</b> | <b>86.I015.2311.03</b> |
|------------------|------------------------|

|                     |               |
|---------------------|---------------|
| <b>Product type</b> | <b>Indoor</b> |
|---------------------|---------------|

|                 |                   |
|-----------------|-------------------|
| <b>Category</b> | <b>Industrial</b> |
|-----------------|-------------------|

|               |              |
|---------------|--------------|
| <b>Family</b> | <b>CLEAN</b> |
|---------------|--------------|


|                   |   |
|-------------------|---|
| <b>Pictograms</b> |      |
|                   |      |



### Dimensions

|                                |                    |
|--------------------------------|--------------------|
| <b>Product dimensions (mm)</b> | <b>Ø380X163 mm</b> |
|--------------------------------|--------------------|

### Scheme



### Product

|                       |            |
|-----------------------|------------|
| <b>Real power (W)</b> | <b>120</b> |
|-----------------------|------------|

|                                |              |
|--------------------------------|--------------|
| <b>Real luminous flux (Lm)</b> | <b>16800</b> |
|--------------------------------|--------------|

|                                   |            |
|-----------------------------------|------------|
| <b>Luminous efficiency (Lm/W)</b> | <b>140</b> |
|-----------------------------------|------------|

|                       |           |
|-----------------------|-----------|
| <b>Beam angle (°)</b> | <b>60</b> |
|-----------------------|-----------|

|                      |                      |
|----------------------|----------------------|
| <b>Life time (h)</b> | <b>50000h L80B10</b> |
|----------------------|----------------------|

|           |             |
|-----------|-------------|
| <b>IP</b> | <b>IP20</b> |
|-----------|-------------|

|                                    |               |
|------------------------------------|---------------|
| <b>Electrical class insulation</b> | <b>Clas I</b> |
|------------------------------------|---------------|

|               |             |
|---------------|-------------|
| <b>Colour</b> | <b>Grey</b> |
|---------------|-------------|

|                              |            |
|------------------------------|------------|
| <b>Control gear included</b> | <b>Yes</b> |
|------------------------------|------------|

|                     |               |
|---------------------|---------------|
| <b>Control gear</b> | <b>ON-OFF</b> |
|---------------------|---------------|

|                               |             |
|-------------------------------|-------------|
| <b>Colour temperature (K)</b> | <b>4000</b> |
|-------------------------------|-------------|

|                                  |                  |
|----------------------------------|------------------|
| <b>Colour consistency (SDCM)</b> | <b>SDCM&lt;3</b> |
|----------------------------------|------------------|

|            |           |
|------------|-----------|
| <b>CRI</b> | <b>80</b> |
|------------|-----------|