



## **MLINER**

Lavov linear system from the family MLINER with a power of 45Wand an optics 110 degrees beam angle. CCT 4000. CRI 80. PC Diffuser. UGR22. With a total lumen output of 6000lm and an efficacy of 133 Im/W . Made in Extruded Aluminium and finished in White color. DALI driver.

| Item code    | 86.L      | 86.LR02.3403.01 Indoor Linear Systems |           |                                   |                 |  |
|--------------|-----------|---------------------------------------|-----------|-----------------------------------|-----------------|--|
| Product type | Indo      |                                       |           |                                   |                 |  |
| Category     | Line      |                                       |           |                                   |                 |  |
| Family       | MLIN      | MLINER                                |           |                                   |                 |  |
| Pictograms   |           | <sup>220</sup> <sub>240</sub> V       | CRI<br>80 | C€                                | Driver<br>INCL. |  |
|              | On<br>Off | 1-10V                                 | IP<br>20  | 50000h<br><b>L</b> 80 <b>B</b> 10 |                 |  |

| Product                    |               |
|----------------------------|---------------|
| Real power (W)             | 45            |
| Real luminous flux (Lm)    | 6000          |
| Luminous efficiency (Lm/W) | 133           |
| Beam angle (º)             | 110           |
| Life time (h)              | 50000h L80B10 |
| IP                         | 20            |
| Colour                     | White         |
| U. G. R                    | 22            |
| Control gear included      | Yes           |
| Control gear               | DALI          |
| Colour temperature (K)     | 4000          |
| Colour consistency (SDCM)  | SDCM<3        |
| CRI                        | 80            |

| Dimensions              |                      |
|-------------------------|----------------------|
| Product dimensions (mm) | Hole size 1803xW75mm |

| Scheme |      |  |
|--------|------|--|
| 99     | 1918 |  |
| 75     | 1903 |  |

