

---


**RECESSED WALL & CEILING -  
WINDOW**

**Item code 86.ORW1.3351.03**

**LAVOV**  
L I G H T I N G

### WINDOW V

Lavov recessed fixture from the family WINDOW V with a power of 9W and a Asymmetric beam angle. Finished in grey colour. Dimensions 240\*76\*105mm.. With a total lumen output of 415lm and a luminous efficiency of 46lm/W. CCT 3000KK. Driver ON-OFF. Made in Die cast aluminium body. ABS housing.. .IP65. IK10

<b>Item code</b>	<b>86.ORW1.3351.03</b>
<b>Product type</b>	<b>Outdoor</b>
<b>Category</b>	<b>Recessed Wall &amp; Ceiling</b>
<b>Family</b>	<b>WINDOW</b>
<b>Subfamily</b>	<b>WINDOW V</b>
<b>Pictograms</b>	

**RECESSED WALL & CEILING -  
WINDOW**

Item code 86.ORW1.3351.03

**LAVOV**  
LIGHTING




<b>Product</b>	
<b>Real power (W)</b>	<b>9</b>
<b>Real luminous flux (Lm)</b>	<b>415</b>
<b>Luminous efficiency (Lm/W)</b>	<b>46</b>
<b>Beam angle (&amp;ordm;)</b>	<b>Asymmetric</b>
<b>Life time (h)</b>	<b>50000h L70B10</b>
<b>IP</b>	<b>IP65</b>
<b>Electrical class insulation</b>	<b>Class I</b>
<b>Colour</b>	<b>grey</b>
<b>Control gear included</b>	<b>Yes</b>
<b>Control gear</b>	<b>ON-OFF</b>
<b>Power Factor</b>	<b>&gt;0,11</b>
<b>Flicker Free</b>	<b>Yes</b>
<b>Light source</b>	<b>LED</b>
<b>Type of LED</b>	<b>COB</b>
<b>Colour temperature (K)</b>	<b>3000K</b>
<b>Colour consistency (SDCM)</b>	<b>SDCM&lt;5</b>
<b>CRI</b>	<b>80</b>
<b>IK</b>	<b>IK10</b>

**Dimensions**

**Product dimensions (mm)**      **240\*76\*105mm**

**Scheme**



Cut out:236\*105mm

**Photometry**

**RECESSED WALL & CEILING -  
WINDOW**

**Item code 86.ORW1.3351.03**

