




Product dimensions (mm)


170(Dia)X101(H)mm

Scheme



Photometry





BEAM MODULES

Lavov Spike spot light from the family BEAM with a power of 42 W and a beam angle of 18 degrees with a total lumen output of 840 lumen and an efficiency of 20lm/W. with a CCT of RGBW 4 in 1. Made in die cast aluminum with a front tempered glass, finished in Grey color.Not included driver.

| Item code | 86.OS02.2021.03 Outdoor | | | | | |
|--------------|----------------------------|------------|-----------|---------------------------|-----------------|--|
| Product type | | | | | | |
| Category | Spike Spot Light | | | | | |
| Family | BEAM | | | | | |
| Subfamily | BEAM MODULES | | | | | |
| Pictograms | | ≥ 850° | CRI 80 | SDCM 3 | c€ | |
| | No Driver | | | 50000h L70 B 10 | IP 65 | |
| | 335° | 70° | IK 05 | 24 VDC | | |

| Product | - | | | |
|-------------------------------|--------------------------------|--|--|--|
| Real power (W) | 42 | | | |
| Real luminous flux (Lm) | 840 | | | |
| Luminous efficiency (Lm/W) | 20 | | | |
| Beam angle (º) | 18 | | | |
| Life time (h) | 50000h L70B10 | | | |
| IP | 66 | | | |
| Electrical class insulation | Class I | | | |
| Colour | Grey | | | |
| Chip Brand | Osram | | | |
| Control gear included | No | | | |
| Light source | LED | | | |
| Type of LED | 12x3,5W OSRAM RGBW 4 in One | | | |
| Average life time (h) | 50000h L70B10 | | | |
| Colour temperature (K) | RGBW 4 in 1 | | | |
| Colour consistency (SDCM) | SDCM<3 | | | |
| CRI | 80 | | | |



SPIKE SPOT LIGHT - BEAM

Item code 86.0S02.2021.03



IK

IK08

