SPIKE SPOT LIGHT - BEAM






Dimensions

Product dimensions (mm)


210(Dia)X125(H)mm

Scheme



Photometry





BEAM MODULES

Lavov Spike spot light from the family BEAM with a power of 84 W and a beam angle of 60 degrees with a total lumen output of 2000 lumen and an efficiency of 23,811m/W. with a CCT of RGBW 4 in 1. Made in die cast aluminum with a front tempered glass, finished in Grey color.Not included driver.

Item code	86.0502.3051.03 Outdoor Spike Spot Light				
Product type					
Category					
Family	BEAM				
Subfamily	BEAM MODULES				
Pictograms		≻ 850°	CRI 80	SDCM 3	ce
	No Driver			50000h L70 B 10	IP 65
	⊋ 335°	र , 90°	IK 05	24 VDC	

Product				
Real power (W)	84			
Real luminous flux (Lm)	2000			
Luminous efficiency (Lm/W)	23.8095238095238			
Beam angle (º)	60			
Life time (h)	50000h L70B10			
IP	66			
Electrical class insulation	Class I			
Colour	Grey			
Chip Brand	Osram			
Control gear included	No			
Light source	LED			
Type of LED	24x3,5W OSRAM RGBW 4 in One			
Average life time (h)	50000h L70B10			
Colour temperature (K)	RGBW 4 in 1			
Colour consistency (SDCM)	SDCM<3			
CRI	80			



SPIKE SPOT LIGHT - BEAM

IK

IK09

