




Voyager II

Lavov Street light from the family Voyager II with a power of $40\mbox{W}$ $6000 \mbox{Im}$ and a luminous efficiency of $150 \mbox{Im}/\mbox{W.DALI}$ driver. Made in die cast aluminum and finished in grey color. IP66 and IK08 degree of protection.

| Item code | 86.0S15.2433.03 Outdoor Street lights | | |
|--------------|---------------------------------------|--|--|
| Product type | | | |
| Category | | | |
| Family | Voyager II | | |
| Pictograms | 220 v | | |
| | IP CRI SDCM 5 | | |
| | 50000h IK 170 B 10 08 | | |

| Dimensions | |
|-------------------------|---------------|
| Product dimensions (mm) | 419*182*100MM |

Scheme



| Product | |
|-------------------------------|----------------------------------|
| Real power (W) | 40 |
| Real luminous flux (Lm) | 6000 |
| Luminous efficiency (Lm/W) | 150 |
| Beam angle (º) | Т3 |
| Life time (h) | 70000h L70B10 |
| IP | 66 |
| Electrical class insulation | Class I |
| Colour | grey |
| Control gear included | yes |
| Control gear | DALI |
| Light source | LED |
| Type of LED | LUMILEDS 3030 |
| Average life time (h) | Up to 100,000hrs LM70,Ta 25°C |
| Colour temperature (K) | 4000 |
| Colour consistency (SDCM) | SDCM<6 |
| CRI | >80 |
| IK | IK08 |

