



### SCONE

Lavov outdoor Solar Bollard from the family SCONE with a power of 3W and a optic distribution 22°X94°. With a total lumen output of 390lm and an efficiency of 130lm/W. Manufactured in Die-cast Aluminum+PMMA lenses, Solar Panel: 6V 3.0W, Polycrystalline, Battery Type: Lithium-Ion 3.7V 2,2AH Charging Time: 5-8 Hours, Discharging Time: 10-12 Hours Led: 130 lm/w and finished in black colour.

<b>Item code</b>	<b>86.SO13.1300.02</b>
------------------	------------------------

<b>Product type</b>	<b>Outdoor</b>
---------------------	----------------

<b>Category</b>	<b>Solar Bollards</b>
-----------------	-----------------------


<b>Family</b>	<b>SCONE</b>
---------------	--------------

<b>Pictograms</b>	<table border="1"> <tr> <td>CRI</td> <td>IP</td> </tr> <tr> <td>80</td> <td>66</td> </tr> </table>	CRI	IP	80	66
CRI	IP				
80	66				

### Dimensions

<b>Product dimensions (mm)</b>	<b>230X520</b>
--------------------------------	----------------

### Scheme



### Product

<b>Real power (W)</b>	<b>3</b>
-----------------------	----------

<b>Real luminous flux (Lm)</b>	<b>390</b>
--------------------------------	------------

<b>Luminous efficiency (Lm/W)</b>	<b>130</b>
-----------------------------------	------------

<b>Beam angle (°)</b>	<b>22°X94°</b>
-----------------------	----------------

<b>IP</b>	<b>66</b>
-----------	-----------

<b>Colour</b>	<b>black</b>
---------------	--------------

<b>Light source</b>	<b>LED</b>
---------------------	------------

<b>Colour temperature (K)</b>	<b>3000K</b>
-------------------------------	--------------

<b>IK</b>	<b>IK07</b>
-----------	-------------