



Micro 12

Lavov Tracklight from the family Micro 12 with a power of 36W and an optic of 24 degrees with a total lumen output of 3600 lm and an efficiency of 100 lm/W. CCT 4000 Kelvin. Made in Die Cast Aluminum and finished in White colour. DALI driver.

| | |
|------------------|------------------------|
| Item code | 86.T001.5423.01 |
|------------------|------------------------|


| | |
|---------------------|---------------|
| Product type | Indoor |
|---------------------|---------------|

| | |
|-----------------|--------------------|
| Category | Tracklights |
|-----------------|--------------------|


| | |
|---------------|--------------|
| Family | Micro |
|---------------|--------------|

| | |
|------------------|-----------------|
| Subfamily | Micro 12 |
|------------------|-----------------|


| | |
|-------------------|--|
| Pictograms | |
|-------------------|--|



Scheme



Photometry



Product

| | |
|-----------------------|-----------|
| Real power (W) | 36 |
|-----------------------|-----------|

| | |
|--------------------------------|-------------|
| Real luminous flux (Lm) | 3600 |
|--------------------------------|-------------|

| | |
|-----------------------|------------|
| Beam angle (°) | 24° |
|-----------------------|------------|

| | |
|----------------------|----------------------|
| Life time (h) | 50000h L80B10 |
|----------------------|----------------------|

| | |
|-----------|-----------|
| IP | 20 |
|-----------|-----------|

| | |
|------------------------------------|----------------|
| Electrical class insulation | Class I |
|------------------------------------|----------------|

| | |
|------------------------------|----------------|
| Operating temperature | -20 +35 |
|------------------------------|----------------|

| | |
|---------------|--------------|
| Colour | white |
|---------------|--------------|

| | |
|------------------------------|------------|
| Control gear included | yes |
|------------------------------|------------|

| | |
|---------------------|-------------|
| Control gear | DALI |
|---------------------|-------------|

| | |
|-------------------------------|-------------|
| Colour temperature (K) | 4000 |
|-------------------------------|-------------|

| | |
|----------------------------------|------------------|
| Colour consistency (SDCM) | SDCM<3 |
|----------------------------------|------------------|

| | |
|------------|-----------|
| CRI | 90 |
|------------|-----------|