




GAP D-Smart

Lavov tracklight from the family GAP D-Smart with a power of 2x10W and a optic distribution 15°. With a total lumen output of 1800lm and an efficiency of 100lm/W. CCT 4000K. Manufactured in Die Cast Aluminum and finished in Black colour. Dimable Casambi ready driver.

| | |
|---------------------|--|
| Item code | 86.T014.1419.02 |
| Product type | Indoor |
| Category | Tracklights |
| Family | GAP |
| Subfamily | GAP D-Smart |
| Pictograms | <div style="display: flex; flex-wrap: wrap; gap: 5px;"> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">220 240 V</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">XX°</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">CRI 90</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">CE</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">Driver INCL.</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">On Off</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">DALI</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">IP 20</div> <div style="border: 1px solid gray; padding: 2px; font-size: 8px;">50000h L80B10</div> </div> |

Scheme



| | |
|------------------------------------|------------------------------|
| Product | |
| Real power (W) | 2x10 |
| Real luminous flux (Lm) | 1800 |
| Luminous efficiency (Lm/W) | 100 |
| Beam angle (°) | 15° |
| Life time (h) | 50000h L80B10 |
| IP | 20 |
| Electrical class insulation | Class II |
| Operating temperature | 15 |
| Colour | Black |
| Chip Brand | Philip |
| Control gear included | yes |
| Control gear | Dimable Casambi ready |
| Colour temperature (K) | 4000 |
| Colour consistency (SDCM) | SDCM<3 |
| CRI | 90 |