



GAP S

|              |                                                                                                                                                                    |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Item code    | 86.T013.3323.01                                                                                                                                                    |
| Product type | Indoor                                                                                                                                                             |
| Category     | Tracklights                                                                                                                                                        |
| Family       | GAP                                                                                                                                                                |
| Subfamily    | GAP S                                                                                                                                                              |
| Pictograms   | <div>220<br/>240 V</div> <div>XX°</div> <div>CRI<br/>90</div> <div>CE</div> <div>Driver<br/>INCL.</div> <div>On<br/>Off</div> <div>DALI</div> <div>IP<br/>20</div> |

Scheme



|                            |               |
|----------------------------|---------------|
| Product                    |               |
| Real power (W)             | 30            |
| Real luminous flux (Lm)    | 2700          |
| Luminous efficiency (Lm/W) | 90            |
| Beam angle (°)             | 24°           |
| Life time (h)              | 50000h L80B12 |
| IP                         | 20            |
| Operating temperature      | 15            |
| Chip Brand                 | Philip        |
| Control gear               | DALI          |
| Colour temperature (K)     | 3000          |
| Colour consistency (SDCM)  | SDCM<3        |
| CRI                        | 90            |